

SUPPORTING ELEMENT - H PROFILE

SCREW M5 WITH EXPANDING HEAD

SELF DRILLING SCREW 5,6 x 19 mm

RHS 30x30

THERMAL INSULATION

THERMAL INSULATION ANCHOR

DIFFUSION FOIL

THERMO-INSULATION PAD

ANCHOR

FIXING BRACKET

SELF DRILLING SCREW 4,2x19 mm

VERTICAL AL L PROFILE 45x45 mm

SUPPORTING ELEMENT - H PROFILE

SCREW M5 WITH EXPANDING HEAD

SELF DRILLING SCREW 5,6 x 19 mm

RHS 30x30

CONTINUOUS L PROFILE 45x45 mm

PERMANENTLY ELASTIC ADHESIVE


GFRC, thickness 12 mm


AL. U PROFILE


SILICONE


10

10










- GFRC, thickness 12 mm
- THERMAL INSULATION
- THERMAL INSULATION ANCHOR
- DIFFUSION FOIL
- THERMO-INSULATION PAD
- ANCHOR
- FIXING BRACKET
- SELF DRILLING SCREW 4,2x19 mm
- SELF DRILLING SCREW 5,6 x 19 mm
- VERTICAL AL L PROFILE 45x45 mm
- SCREW WITH EXPANDING HEAD
- SCREW A2 - M5, length 25 mm
- SUPPORTING ELEMENT - H PROFILE
- RHS 50x30

- THERMO-INSULATION PAD
- ANCHOR
- FIXING BRACKET
- SELF DRILLING SCREW 4,2x19 mm
- VERTICAL AL L PROFILE 45x45 mm
- SELF DRILLING SCREW 5,6 x 19 mm
- RHS 50x30
- SCREW WITH EXPANDING HEAD
- SCREW A2 - M5, length 25mm
- SUPPORTING ELEMENT - H PROFILE



SUPPORTING ELEMENT - H PROFIL

SCREW WITH EXPANDING HEAD

SELF DRILLING SCREW 5,6 x 19 mm

RHS 30x30

THERMAL INSULATION

THERMAL INSULATION ANCHOR

DIFFUSION FOIL

THERMO-INSULATION PAD

ANCHOR

FIXING BRACKET

SELF DRILLING SCREW 4,2x19 mm

VERTICAL AL L PROFIL 45x45 mm

GFRC, thickness 12 mm

THERMAL INSULATION - XPS

SUPPORTING ELEMENT - H PROFIL

SCREW WITH EXPANDING HEAD

SELF DRILLING SCREW 5,6 x 19 mm

RHS 30x30

TERRAIN

30

70

300